
FLATSHOT Command

1179 kbadmin June 30, 2021 <u>CAD Commands</u> 0 6267

With FLATSHOT command you can create a 2D representation of all 3D objects based on the current view. The edges of all 3D solids, surfaces, and meshes are projected line-of-sight onto a plane parallel to the viewing plane. The 2D representations of these edges are inserted as a block on the XY plane of the UCS. This block can be exploded for additional changes.



Flatshot Dialog Box

Destination : Controls where the flattened representation is created.

Insert As New Block : Specifies to insert the flattened representation as a block in the current drawing.

Replace Existing Block : Replaces an existing block in the drawing with the newly created block.

Select Block : Closes the dialog box temporarily while you select the block you are replacing in the drawing. When you finish selecting the block, press Enter to re-display the Flatshot dialog box.

Block Selected / No Block Selected : Indicates whether a block has been selected.

Export to a File : Saves the block to an external file.

Foreground Lines : Contains controls for setting the color and linetype of lines that are not obscured in the flattened view.

Color : Sets the color of lines that are not obscured in the flattened view.

Linetype : Sets the linetype of lines that are not obscured in the flattened view.

Obscured Lines : Controls whether lines that are obscured in drawing are displayed in the flattened view, and sets the these obscured lines.

Show : Controls whether obscured lines are shown in the representation. When selected, the 2D flattened representation displays lines hidden by other objects.

Color : Sets the color of lines that lie behind geometry in the

Linetype: Sets the linetype of lines that lie behind geometry in flattened view.

Include Tangential Lines : Creates silhouette edges for curved surfaces. the flattened view.

FlatShot		
Destination		
Insert as new I	block	
Beplace existing the state of the state o	ng block	
🖹 Sel	ect block	
(No	block selected)	
Deport to a file		
Filename and pa	ath:	
C:\Users\asus	\Documents\New Blo	ck.dw 👻 📖
Foreground lines		
Cglor:	ByBlock	•
Ligetype:		Continuous 👻
Obscured lines		
Show		
Color:	ByBlock	•
Linetype:	(Continuous 👻
include tangent	tial edges	
Consta	Cancel	Help

Technical Demo - With flatshot command you can create a 2D representation of all 3D objects based on the current view much easier.

Online URL: <u>https://www.kb2.gstarcad.com.my/article.php?id=1179</u>