

# XPLODE command

2451 GstarCAD MY /KW April 15, 2022 [CAD Commands](#) 0 3893

The **XPLODE** command is used to explode compound object into its component objects.

## Command Access:

**Command** : XPLODE

## Command Prompts:

Select object to XPlode.

Select object:

[All/Color/LAyer/LType/LWeight/Inherit from parent block/Explode] :

## Relative Glossary:

### All:

Specify the color, linetype, lineweight and layer of the component objects. It will display relative command prompts.

### Color:

Specify color of component objects that exploded by compound object.

Input "bylayer" to inherit the layer color of compound object.

Input "byblock" to inherit the color of compound object.

Input "t" to apply True color on specified object.

Input "co" to apply Color book on specified object.

### Layer:

Specify layer of component objects that exploded by compound object.

The default layer is the current layer.

### LType:

Specify linetype of component objects that exploded by compound object.

Input "bylayer" to inherit the linetype of compound object.

### LWeight:

Specify lineweight of component objects that exploded by compound object.

### Inherit from parent block:

If the component objects are created on layer "0" and their color, linetype and lineweight are "BYBLOCK" .

### Explode:

Explode compound object into components, this is the same as the EXPLODE command.

---

Related tutorial video:

- [Layer command](#) 00:43
  - [Status bar related setting](#) 00:50
  - [Insert command](#) 00:53
  - [Adcenter command](#) 02:08
  - [Changebase command](#) 02:46
  - [Block command](#) 03:12
  - [Bedit command](#) 03:51
  - [Xplode command](#) 04:30
  - [Wblock command](#) 04:52
- 

- [Attdef command](#) 01:01
- [Block command](#) 02:28
- [Xplode command](#) 02:46
- [Insert command](#) 03:13
- [Eattedit command](#) 03:39

Above video sources from [TUTORIAL - GETTING STARTED WITH GSTARCAD](#), enrol now for free.

Online URL: <https://www.kb2.gstarcad.com.my/article.php?id=2451>