

VPLAYER Command — GstarCAD 2027

3385 kbadmin September 25, 2026 [Command Reference](#) 0 8

VPLAYER Command

[GstarCAD 2027](#) · [Command Reference](#)

Commands > V Command > VPLAYER

Function Description:

This command is used to set the visibility of the layer in a viewport.

Command Access:

Icon: /
Menu: /
Ribbon: /
Toolbar: /
Command: VPLAYER
Alias:
/

Command Prompts:

Enter an option [?:Color/Ltype/LWeight/TRansparency/Freeze/Thaw/Reset/Newfrz/Vpvisdflt]:

?

Displays frozen layers name of the specified viewport.

Color

Changes the color associated with layers.

- **Truecolor:** Specifies a truecolor for the selected object.
- **COLORBOOK:**
Specifies a color loaded from the colorbook for the selected object.

Ltype

Changes the linetype associated with layers.

LWeight

Changes the lineweight associated with layers.

If entering invalid lineweight, the current lineweight is specified to the closest fixed lineweight value.

If users want to plot drawing with a fixed lineweight value, but this lineweight can not be found in the lineweight list, they can use the plot style editor to customize plotting lineweight.

TRansparency

Changes the transparency level associated with layers.

Freeze

Freezes one or more layers in one or more viewports. Objects on frozen layers are not displayed, regenerated or plotted.

Thaw

Specifies the name of the layer to be thawed.

Reset

Specifies the visibility of the layer in a specified viewport to be its current default settings.## **Newfrz**
Creates a new layer that frozen in all viewports.

Vpvisdflt

Frozes or thaws the specified layer created in the following viewport. Users can enter a layer name or specify layers by an object selection to change the viewport visibility.

Related References?

- [Commands about Layout Viewports](#)
- [Commands about Layouts](#)

Other versions with matching text

[2023](#) · [2024](#) · [2025](#) · [2026](#)

Online URL: <https://www.kb2.gstarcad.com.my/article.php?id=3385>