

REFSET Command — GstarCAD 2027

3507 kbadmin September 25, 2026 [Command Reference](#) 0 8

REFSET Command

[GstarCAD 2027](#) · [Command Reference](#)

Commands > R Command > REFSET

Function Description:

This command is used to add or remove objects from a working set when editing in-place.

Objects in the working set are different from other objects in the current drawing. In the current drawing, objects beyond the working set are fade-in.

Command Access:

Menu: Tools > Xref and Block In-place Editing > Add to Working set/Remove from Working Set

Ribbon: Edit Reference > Add to Working set/Remove from Working Set

Toolbar: Refedit > Add to Working set/Remove from Working Set

Command: REFSET

Alias: /

Command Prompts:

Enter an option [Add/Remove] <Add>:

Add

Adds objects to the working set.

As part of the working set, an object is added to the reference and removed from the current drawing when saving all changes. The Add to Working set button on the Refedit toolbar will prompt users to add objects to the working set rather than the REFCLOSE command.

Remove

Removes objects from the working set.

An object that is removed from the working set is removed from the reference, as well the object is removed from the current drawing. The Remove from Working set button on the Refedit toolbar will prompt users to remove objects from the working set rather than the REFCLOSE command.

Related References?

- [Commands about Editing External References](#)

Related Tasks?

- [To Add Objects to the Working set](#)
- [To Remove Objects From the Working set](#)

Other versions with matching text

[2023](#) · [2024](#) · [2025](#) · [2026](#)

Online URL: <https://www.kb2.gstarcad.com.my/article.php?id=3507>