

Load/Unload Applications Dialog Box — GstarCAD 2027

4043 kbadmin September 25, 2026 [Command Reference](#) 0 11

Load/Unload Applications Dialog Box

[GstarCAD 2027](#) · [Command Reference](#)

Commands > A Command > APpload > Load/Unload Application Dialog Box

Function Description:

The Load/Unload Applications Dialog Box is used to load or unload applications. It can also define which applications loaded when starting up.

Dialog Box Options:

Loaded Applications

Displays an alphabetical list (by file name) of currently loaded applications. The LISP application can only display after being loaded in the "Load/Unload Applications" dialog box.

Users can drag files to this list from file list or applications with drag function.

If the application is loaded by Web browser, it will be downloaded to a temporary position in the computer. Users can load it from this position and display it in this list.

Users can also unload some applications from this list, but this operation is not applied in application that cannot be unloaded.

History List

Selects "Add to History" option, it will display application list in alphabetical order. Those applications are loaded in previous.

If the "Add to History" option is not selected, dragging file to this list, it will only be loaded rather than added to history list.

Users can drag files to this list from file list or applications with drag function.

Users can load or remove applications through this list, but if they want to unload them, they should use the

"Loaded Applications" tab.

Load

Loads or reloads the selected application in the files list or on the "History List" tab. The "Load" option will be available after selecting a file to be loaded. The ObjectARX or VBA or DBX applications can be loaded immediately, but the LSP or VLX or FAS applications should queue and wait until the "Load/Unload Applications" dialog box closed.

If the selected file has been loaded, users can reload it in a proper time by clicking the "Load" button. The ObjectARX application can not be reloaded. In order to reload it, users should unload it and then load it again.

Unload/Remove

Unloads the selected applications or removes them from the History List. The "Unload" option can only be used on condition that users select a file from "Loaded Applications" tab. The "Remove" option can only be used on condition that users select a file from "History List". LISP applications can not be unloaded. The ObjectARX application should be registered to be unloaded or they can not be unloaded.

Add to History

Users can add any loaded applications to the History List. If loading applications by Web browser, users would like to delete this option, because all loaded applications are saved in temporary position, if users delete the temporary position, all applications will not be used any longer.

Startup Suite

In the "Startup Suite" dialog

box, it lists all applications to be loaded when starting up. Users can drag executable files to the "Startup Suite" region from file list or any applications with drag function in order to add them to "Startup Suite". Users can not add application that loaded by Web browser to "Startup Suite".

- **Contents:**

Users can click the "Startup Suite" icon or "Contents" button to enter the "Startup Suite" dialog box.

Status line

Displays messages to indicate the status of loading or unloading.

Other versions with matching text

[2022](#) · [2023](#) · [2024](#) · [2025](#) · [2026](#)

Online URL: <https://www.kb2.gstarcad.com.my/article.php?id=4043>