

# BLOCK command

2002 GstarCAD MY /KW April 15, 2022 [CAD Commands](#) 0 4006

The **BLOCK** command is used to create a block definition for specified object.


## Command Access:

**Ribbon** : Home > Block > Make...

**Menu** : Draw > Block > Make...

**Command** : BLOCK (display Block Definition dialog box), -BLOCK (display command line prompts)

## Function Description:



Users could create a block definition by selecting objects, specifying its base point, and giving it a name. Inputting "-block" under the command prompt, it will display options.

---

Related tutorial video:

- [Wipeout command](#) 00:37
  - [Selectioncycling command](#) 00:54
  - [Menus and Shortcut Menus](#) 01:10
  - [Block command](#) 01:12
  - [Revcloud command](#) 02:05
- 

- [Layer command](#) 00:43
  - [Status bar related setting](#) 00:50
  - [Insert command](#) 00:53
  - [Adcenter command](#) 02:08
  - [Changebase command](#) 02:46
  - [Block command](#) 03:12
  - [Bedit command](#) 03:51
  - [Xplode command](#) 04:30
  - [Wblock command](#) 04:52
- 

- [Bedit command](#) 00:34
  - [Bparameter command](#) 00:49
  - [Status bar related setting](#) 01:00
  - [Bactiontool command](#) 01:54
  - [Block command](#) 02:45
  - [Dynamic block creation](#) 03:12
  - [Insert command](#) 04:12
- 

- [Attdef command](#) 01:01
- [Block command](#) 02:28

- [Xplode command](#) 02:46
- [Insert command](#) 03:13
- [Eattedit command](#) 03:39

Above video sources from [TUTORIAL - GETTING STARTED WITH GSTARCAD](#), enrol now for free.

Online URL: <https://www.kb2.gstarcad.com.my/article.php?id=2002>